

LGA[®] High Efficiency Grinding Aid and Pack Set Inhibitor

High efficiency grinding aid and pack set inhibitor

Introduction

The LGA[®] series of cement additives is formulated to provide grinding efficiency that is superior to that of traditional grinding aids based on amines or glycols. Laboratory grinds comparing LGA with traditional glycol-based additives have indicated increases in grinding efficiency of 15% at Blaine fineness of 3500–4000 cm²/g for Ordinary Portland Cement.

Product Description

LGA consists of a mixture of special amine salts that are then formulated with more traditional amines or glycols. It is available with either an amine base, as LGA and LGA 70, or with a glycol base, as LGA N, or a blend of amine and glycol, as LGA N 50, to better meet the unique performance requirements of different milling systems. In addition to providing increased grinding efficiency, LGA products also effectively inhibit pack set.

Specifications

Active Ingredients	69.0–81.0
Specific Gravity	1.09–1.15 [@77 °F (25 °C)]
pH	6–9

Typical Properties


Appearance	Dark brown, low viscosity solution
Odors, Fumes	Alcohol odor with no noxious or toxic fumes
Foaming Point	None
Freezing Point	15 °F (-10 °C)

Product Advantages

- Increased mill output at same cement fineness
- Reduced grinding costs
- Improved dosage efficiency
- Higher cement strengths
- Increased cement flowability

Recommended Addition Rate

According to GCP experience, the typical dosage of LGA as received ranges from 0.02% to 0.06% of cement. The optimum addition rate should be determined through cement mill tests in consultation with GCP personnel.



How to Use

LGA may be proportioned as received; however, dilution with four to eight parts of water is normally recommended in order to facilitate greater proportioning accuracy and better additive distribution. Where extremely small addition rates are used, even greater dilution is recommended.

For dilution, suitable dispensing pumps with adjustable flow rates should be used for optimum performance. It is desirable to introduce LGA into the first compartment of the finish grinding mill to effect maximum distribution and efficiency of the product.

Dosing Equipment

GCP LGA high efficiency grinding aid should be accurately proportioned through a calibrated dosing system, suitable for the cement mill and the output required.

Specification Compliance

LGA is approved for use under ASTM C465 specification as a non-harmful processing addition. It has been thoroughly tested and a test report is available from GCP upon request.

Packaging

LGA is available in 55 gal (210 L) drums, in totes or in bulk by tanker trucks. It contains no flammable materials.

Health & Safety

All precautions defined on the SDS (Safety Data Sheet) for LGA must be followed.

Storage

Where it is expected that the storage tanks will be exposed to freezing temperatures, provisions should be made for insulating and heating the tank and lines in order to prevent excess viscosity and to aid pumpability.

Technical Services

Field Engineers from GCP are available to assist in laboratory and mill test evaluations of LGA. Complete testing equipment and methods for analyzing mill performance and pack set index are also available during plant trials.

gcpat.it | Servizio clienti in Italia:: +39 02 93537291

Confidiamo che le informazioni date con la presente siano utili. Sono basate su dati e conoscenze che riteniamo vere ed accurate e sono messe a disposizione dell'utente perché li consideri, facendo le opportune verifiche. Tali informazioni non rientrano nei nostri obblighi quali fornitori e per esse nessun compenso, esplicito o implicito, viene richiesto e/o viene dato. Anche per questo non assumiamo alcuna responsabilità per l'uso di tali informazioni e per i risultati che possono essere ottenuti. Nessuna informazione, raccomandazione o suggerimento può essere intesa ad un impiego in un processo che violi qualsiasi brevetto, copyright o diritto di terzi.

LGA sono marchi registrati della GCP Applied Technologies Inc in USA o in altri stati. Questa lista di marchi registrati è stata composta usando le informazioni disponibili alla data di pubblicazione e potrebbero non riflettere accuratamente la proprietà o lo status di essi.

© Copyright 2017 GCP Applied Technologies Inc. Tutti i diritti riservati.

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Alpharetta, GA 30009, USA

GCP Italiana S.p.A. - Via Trento, 7 - 20017 Passirana di Rho, Milano, Italy

Questo documento è aggiornato solo a partire dalla data dell'ultimo indicato di seguito ed è valido solo per l'uso in Italia. È importante consultare sempre le informazioni attualmente disponibili sull'URL di seguito per avere le informazioni sul prodotto più recenti al momento dell'uso. Documenti aggiuntivi come i manuali di utilizzo, bollettini tecnici, disegni dettagliati e raccomandazioni dettagliate e altri documenti rilevanti sono disponibili anche su www.gcpat.fr. Le informazioni trovate su altri siti web non dovrebbero essere utilizzati, in quanto potrebbero non essere aggiornati o applicabili alle condizioni del tuo paese e non ci assumiamo alcuna responsabilità quanto al loro contenuto. In caso di conflitti o se hai bisogno di ulteriori informazioni, contatta il servizio clienti di GCP.

Last Updated: 2022-11-24

gcpat.it/solutions/products/lga-high-efficiency-grinding-aid-and-pack-set-inhibitor